

City of Clarksville
205 Walnut Street
Clarksville, AR 72830
Phone No. 479-754-6486
Fax No. 479-754-4052

Clarksville Light & Water Co.
P.O. Box 1807
Clarksville, AR 72830
Phone No. 479-754-3148
Fax No. 479-705-1901

Business Registration Form

Date: _____ **Business Name:** _____

Mailing Address _____

Physical Address: _____ Location Permanent? Yes [] No []

Type of Business: _____ Emergency After Hours # _____

Do you have an Alarm System? Yes [] No [] Alarm Co. # _____

of Employees _____ Approximate Sq. Ft. of Building _____

Business Owner(s) _____ Phone # _____

Address _____ City _____ State _____ Zip _____

Property Owner(s) _____ Phone # _____

Address _____ City _____ State _____ Zip _____

Are Chemicals or Flammables used or stored on premises? Yes [] No []

If so, Please List _____

I UNDERSTAND THIS BUSINESS PERMIT IS FOR REGISTRATION PURPOSES ONLY AND DOES NOT WAIVE COMPLIANCE WITH ANY FEDERAL, STATE, COUNTY, OR CITY LAWS OR ORDINANCES.

Signature of Business Owner
Or Authorized Representative

FOR OFFICIAL USE ONLY

Zone of Business _____ Paved Parking _____

New Business Yes [] No [] Date Established _____

Date Approved _____ City Inspector _____



Clarksville Light & Water Co.
P.O. Box 1807
Clarksville, AR 72830
Phone No. 479-754-3148
Fax No. 479-705-1901

Pre-inspection Checklist for Small Businesses

(Buildings 5000 Sq. Ft. and Less)

1. Exit Signs:
 - a. Buildings less than 5000 Sq. Ft. shall only be required to light the primary exit door.
Exception: Inspector may require additional exit lights if the configuration of the room may cause confusion during the emergency exit process.
2. Emergency Lighting:
 - a. Plug-in Packs required in larger open rooms used by the public.
 - b. Emergency/exit light combination devices may be used.
3. Restrooms:
 - a. Shall be usable and be provided with hot and cold water.
 - b. Exhaust fans shall be working and shall exhaust to the building exterior.
4. Electrical:
 - a. Panels: Circuits shall be labeled as to areas and/or devices served.
 - b. Exposed wiring shall be repaired.
 - c. Missing or damaged outlet/light covers shall be installed and/or replaced.
5. Address:
 - a. Must be attached to the structure visible to the motoring public, shall be contrasting color, and be a minimum of 4" numbers with ½" stroke width.

"Commercial Cooking Areas"

Vent-a-hoods shall be inspected and approved prior to opening and yearly thereafter.

Any questions concerning the above requirements may be directed to:

Jeff Mize, Clarksville Building Official
Phone: 479-754-3148

Food Preparation Requirements are promulgated by the Arkansas Department of Health
Contact Person: Ben Hardgrave Phone: 479-754-2949